


FIG. 1





2/33

FIG. 3










FIG. 5





6/33




FIG. 8





FIG. 9



8/33

FIG. 10




FIG. 11






FIG. 12









12/33


FIG. 14






14/33

FIG. 16




15/33



16/33

.



17/33

IRRADIATION TIME	_	1 2 3	ю	:	:	:	:	:	:	:	:	:	:	: X X	×
COEFFICIENT & CORRESPONDING TO CORRECTION AMOUNT K	0.89	0.89 0.91	0.91	:	:	:	:	:	:	;	:	:	1	0,1 69	8.
CORRECTION AMOUNT A26F OF FRONT GROUP 226F	0.36	0.36 0.38 0.38	0,38	:	i	:	:	:	:	:	:	:	:	0,52 0,53	0,53
CORRECTION AMOUNT AZER OF REAR GROUP 226R(9)	0.02	0.02 0.03 0.03	0.03	;	:	:	:	:	:	:		: *	:	0.23 0.23	0,23
CORRECTION AMOUNT A32 OF HIGHER-ORDER ILLUMINANCE IRREGULARITY ADJUSTWENT UNIT 232	0.02	0.02 0.03 0.02	0,02	:	:	:	÷	:	:	:	:	:	:	0.11 0.11	0.11

) C

IRRADIATION TIME	1	1 .2 3	3	;	:	:	;	÷	÷	:	:	:	:	:   	⊻.
COEFFICIENT & CORRESPONDING TO CORRECTION AMOUNT K	0.99	86.0 86.0 66.0	0.98	:	:	;	:	:	:	:	:	:	:	0.41 0.41	0.41
CORRECTION AMOUNT A26F OF FRONT GROUP 226F	0.04	0.04 0.04 0.05	0,05	:	:	::	:	:	:	:	:	:	:	0.12 0.13	0.13
CORRECTION AMOUNT A26R OF REAR GROUP 226R(*)	0.02	0.02 0.02 0.03	0.03	:	:	:	:	:	:	;	. 4:	:	:	0.11 0.11	0,11
CORRECTION AMOUNT A32 OF HIGHER-ORDER ILLUMINANCE	0.02	0.02 0.0 1 0.01	0,01	:	j	;	;	:	:	:	i	:	:	0,13 0,13	0,13
IRREGULARITY ADJUSTMENT UNIT 232															

OUTPUT S25 OF INTGRATOR SENSOR 225	:	:	:	20	i	:	!	:	i	:	80	80 81	 	;	:
COEFFICIENT & FOR MODIFYING COEFFICIENT 8	:	:	;	2,33	:	i	÷	:	:	:	1.21	1.21 1.20	1	:	;
COEFFICIENT & FOR MODIFYING CORRECTION AMOUNT OF FRONT GROUP 226F	:	i	:	1,52	i	i	:	:	:	:	1,33	1.33 1,33	:	i	:
COEFFICIENT 1 FOR MODIFYING CORRECTION AMOUNT (9) OF REAR GROUP 226R	;	:	:	1,32	i	:	i	÷	i	:	1,15	1,15 1,14	:	:	
COEFFICIENT , FOR MODIFYING CORRECTION AMOUNT OF HIGHER-ORDER LLUMINANCE IRREGULARITY ADJUSTMENT UNIT 232	:	i	÷	1,24	:	ŧ	i .	:	i	:	1.31	1.31 1,30	:	:	:

## FITG

OUTPUT S36 OF REFLECTANCE SENSOR 236		!	1	25	:	i	:	;	i	:	53 54	54	;	:	1
COBFFICIENT & FOR MODIFYING COEFFICIENT &		;	i	3,21	:	;	1	i	1	;	2,63 2,61	2,61	:	i	;
COEFTICIENT P FOR MODIFYING CORRECTION AMOUNT OF PRONT GROUP 226F	1		1	1,10	i	1	1	1	1		1.06 1.06	1.06	i	i	;
COEFFICIENT & FOR MODIFYING CORRECTION AMOUNT (9) OF REAR GROUP 226R	i	i	;	1,05	:	:	:	i	:	:	1.01 1.01	1.01	i	i	÷
CORFFICIENT x FOR MODIFYING CORRECTION AMOUNT OF HIGHER ORDER. ILLUMINANCE HERBOULARITY ADMUSTMENT UNIT 222	i	1	ł	1.08	i	;	:	:	:	:	1,03 1,02	1.02	:	:	:




FIG. 24






FIG. 25



(c)



## 第 26 図






FIG. 27









27/33












9



30/33





9

9

